

**RECEIVED**  
**CENTRAL FAX CENTER**

001

**MAY 31 2005****Fax transmission from:**

U.S. Naval Research Laboratory  
Associate Counsel Intellectual Property, Code 1008.2  
4555 Overlook Avenue, SW  
Washington, DC 20375-5325

**From:** Joe Grunkemeyer**To:** Mail Stop Issue Fee**Phone:** (202) 404-1556**Fax:** (202) 404-7380**Fax:** (703) 872-9306**Date:** 05/31/2005**Cover Sheet +** 4 **Pages****Message:**

RE: Patent Application No.: 10/068,364

Filed: 02/08/2002

Inventor: Ringeisen et al.

Docket No.: NC 82,621

Response to Notice of Drawing Inconsistency with Specification – 1 page

Copy of Notice of Drawing Inconsistency with Specification – 1 page

Drawings – 2 pages

**BEST AVAILABLE COPY**

The information contained in this facsimile may be client confidential, and may also be attorney privileged. The information is intended only for the use of the individual or entity to whom it is addressed. If you are not the intended recipient, you are hereby notified that any use, distribution, or copying of this transmission is prohibited. If you have received this facsimile in error, please notify us immediately by telephone for instructions. Thank you.

**RECEIVED**  
**CENTRAL FAX CENTER****MAY 31 2005****PATENT APPLICATION**  
Docket No.: NC 82,621**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In the application of: Ringeisen et al.

Serial No.: 10/068,364

Filed: 02/08/2002

For: GENERATION OF BIOMATERIAL MICROARRAYS BY LASER TRANSFER

Examiner: Fuller, Eric

Art Group Unit: 1762

Honorable Commissioner of Patents

PO Box 1450

Alexandria, VA 22313-1450

**REPOSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION**

Sir:

On 03/11/2005, the issue fee was paid for this case and formal drawings were included. Mistakenly, the drawings included Figs. 5 and 6 which are not listed in the specification. The attached Notice of Drawing Inconsistency with Specification was mailed on 05/13/2005 noting this error and requiring correction by 06/13/2005. Attached is the complete set of the correct drawings.

In the event that a fee is required, please charge the fee to Deposit Account No. 50-0281, and in the event that there is a credit due, please credit Deposit Account No. 50-0281.

Respectfully submitted,



Joseph T. Grunkemeyer

Reg. No. 46,746

Phone No. 202-404-1556

Office of the Associate Counsel

(Patents), Code 1008.2


Naval Research Laboratory

4555 Overlook Ave, SW

Washington, DC 20375-5325

**CERTIFICATE OF FACSIMILE TRANSMISSION**

I certify that this correspondence is being facsimile transmitted to the US Patent and Trademark Office on the date shown below.

5/31/05  
Date  
Joseph T. Grunkemeyer

**UNITED STATES PATENT AND TRADEMARK OFFICE**

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND  
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

**NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION**

The drawings filed 3/11/05 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures \_\_\_\_\_ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 5-6 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in **abandonment** of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

**Return Corrected Drawings/Specification to:**

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division  
Customer Service: 703-308-6789  
1-888-786-0101

FORM PTO-1631 (REV. 10-03)